

INDEX TO VOLUME 60

By SYLVIA L. THOMSEN

A

- Acanthis flammea*, 235
Accipiter cooperii, 141
 gentilis, 61, 140, 377, 379
 gentilis marginatus, 382
 striatus, 140, 141
Actitis macularia, 244
Aechmophorus occidentalis, 68, 136, 224
Aeronautes saxatalis, 22
Aethia cristatella, 258
Agelaius, 357, 366
Agelaius phoeniceus, 20, 70, 176, 182, 221, 310, 311, 366
 phoeniceus phoeniceus, 372
Aix sponsa, 253, 256, 257
Albatross, Black-footed, 5, 143, 144, 159-163, 188, 189, 415
 Laysan, 3-6, 160, 162, 189, 404
 Short-tailed, 136
Aldrich, John W., and Duvall, Allen J., distribution and migration of races of the mourning dove, 108
Amblycercus holosericeus, 372
Ammodramus savannarum bimaculatus, 68
Ammospiza caudacuta nelsoni, 68
Anas acuta, 224, 234
 carolinensis, 142, 224, 234
 cyanoptera, 224
 discors, 142
 platyrhynchos, 142, 224, 388
 strepera, 224, 337
Anis, 206
Anous stolidus, 189, 190
 tenuirostris, 189, 190
Anser albifrons, 136
 caerulescens atlanticus, 305, 306
 caerulescens caerulescens, 305, 306
 caerulescens hyperboreus, 305, 306
Anthus cervinus, 58
Aphelocoma, 39-41, 169, 173, 180, 356, 359, 361, 364
 californica, 198
 coerulescens, 44, 171-174, 184, 198, 319, 361
 coerulescens californica, 169
 coerulescens caerulescens, 169
 coerulescens insularis, 166
 insularis, 198
 ultramarina arizonae, 173
Apus apus, 74
 melba, 78
Aquila chrysaetos, 64, 222, 392
Araçari, Collared, 201-203, 207, 209, 212, 217
 Fiery-billed, 201, 202, 207-210, 212, 213, 218
Archaeopteryx, 195
Ardea herodias, 22, 224
Arenaria interpres, 190
 melanocephala, 238, 337

- Arundinicola leucocephala*, 259
Asio flammeus, 62, 238
 otus, 61
 stygius lambi, 407
Auklet, Cassin's, 144
 Crested, 258, 259
 Rhinceros, 144, 163
Aulacorhynchus caeruleogularis, 207
Avocet, 221
 American, 192
Aythya americana, 222, 224
 marila, 237

B

- Balanosphyra formicivora*, 327
Barbet, Day's, 339
Bartramia, 253, 254
 longicauda, 254
 umatilla, 254
Basileuterus fulvicauda, 244
Becard, Cinnamon, 245
Bittern, Least, 68
Blackbird, 317
 Red-winged, 20, 70, 182, 221, 310
 Yellow-headed, 221
Blackford, John L., territoriality and breeding behavior of a population of blue grouse in Montana, 145; inland occurrence of black turnstone, 337
Bleitz, Don, indigo bunting breeding in Los Angeles County, California, 408
Bluebird, Eastern, 22
 Western, 324
Bohl, Wayne H., and Gordon, Sidney Paul, a range extension of *Meleagris gallopavo mexicana* into southwestern New Mexico, 338
Bohl, Wayne H., and Traylor, Elmo, a correction in identification of the zone-tailed hawk as a Mexican black hawk, 139
Booby, Brown, 189, 301, 302
 Blue-faced, 189, 301
 Blue-footed, 301, 302
 Colombian, 301
 Red-footed, 189, 190
Brant, Black, 144, 237
Branta bernicla, 306
 bernicla hrota, 305
 canadensis, 224, 305, 306
 nigricans, 237
 sandvicensis, 303, 304, 306
Brock, Albert M., some prey of the pygmy owl, 338
Brodkorb, Pierce, birds from the middle Pliocene of McKay, Oregon, 252
Brooks, Allan, drawing of a swallow-tailed kite, opposite 3

- Brown, Jerram L., a nesting record of the scissor-tailed flycatcher in Nuevo Leon, México, 193
- Bucephala, 130-132
 albeola, 131, 222
 clangula, 131, 222
 islandica, 131
- Bufflehead, 132, 144, 222
- Bunting, Indigo, 408
 Lazuli, 408
 Snow, 38, 39, 331
- Bushtit, 343
 Black-eared, 206
 Common, 352
- Buss, Irvén O., and Fritsch, Lee E., food of the American merganser in Unakwik Inlet, Alaska, 410
- Buteo, 62
 albonotatus, 139
 platypterus, 246
- Buteogallus anthracinus, 139
- C**
- Cacique, Mexican, 67
- Calcarius, 62
 lapponicus, 38
 lapponicus alascensis, 235
- Callaeas cinerea, 169
- Calocitta, 169
 formosa, 67, 169
- Calypte anna, 324
- Campylorhynchus brunneicapillus, 250
 yucatanicus, 250
- Canary, 173
- Capella gallinago, 222
 gallinago delicata, 234
- Capito dayi, 339
- Caprimulgus europaeus europaeus, 318
- Caracara, Yellow-headed, 302
- Carpodacus mexicanus, 22, 352
 purpureus, 70
- Casmerodius albus, 70, 302
- Cassidix, 356, 357, 361, 366, 368, 370, 371
 mexicanus major, 355, 357, 361, 366, 368, 369, 372
 mexicanus mexicanus, 359, 360, 363, 364, 368, 370, 372, 373, 375
 mexicanus monsoni, 70, 355
 mexicanus nelsoni, 70
 mexicanus prosopidicola, 357, 372
 nicaraguensis, 370, 372
 palustris, 372
- Cassilopha, 169
- Catharacta skua, 162
- Catherpes mexicanus, 22
- Catoptrophorus inornatus, 136
- Centurus rubricapillus, 209
 uropygialis, 70
- Cerorhinca monocerata, 163
- Certhia familiaris, 61
- Chaetura pelagica, 73
- Chamaea, 61
 fasciata, 324
- Charadrius, 62
 alexandrinus, 192, 221
 semipalmatus, 234
- Chen caerulescens, 191
 caerulescens caerulescens, 305, 306
 hyperborea, 191
- Chendytes lawi, 136
- Chickadee, Chestnut-backed, 22, 352
- Chloris chloris, 332
- Chordeiles minor, 407
 minor neotropicalis, 407
- Christman, Gene M., a drawing of South American flamingos, opposite 289
- Circus cyaneus, 224
- Cissilopha beecheyi, 169
- Cistothorus, 63
- Clangula, 130, 132
 hyemalis, 131, 337
- Colaptes auratus, 193, 198
 cafer, 22, 198, 324
- Colinus hibbardi, 253
 striatus mombassicus, 176
- Collocalia, 73, 79
 brevirostris, 80
 francica, 80
- Columba fasciata, 69
 vitiensis, 192
 vitiensis griseogularis, 192
- Condor, 143
 California, 72
- Contopus sordidulus, 324, 325, 352
- Coot, American, 224
- Cormorant, 411
 Brandt, 136
 Olivaceous, 302
 Pelagic, 237
- Corvus, 61
 brachyrhynchus, 169, 171
 corax, 51, 64, 169, 222
 frugilegus, 184, 366
 frugilegus frugilegus, 171, 173
 monedulus, 331
- Cowbird, 22, 408
 Bronzed, 191
 Red-eyed, 366
- Crabb, Ben H., and Giles, LeRoy W., snowy plover nesting on Lower Klamath Refuge, Siskiyou County, California, 192
- Crane, Sandhill, 261
- Creagrus furcatus, 302
- Crossbill, Red, 136
- Crotophaga, 206
- Crow, Blue-wattled, 169
- Curlew, Long-billed, 221
- Cyanocitta, 41, 169, 361
 cristata, 171, 405

- cristata bromia, 173
- stelleri, 38, 39, 44, 169, 385
- stelleri carbonacea, 41
- stelleri carlottae, 38
- Cyanocorax chrysops, 169
- yncas, 169
- Cygnopsis, 306
- Cygnus atratus, 303
- Cypseloides, 79
- Cyrtonyx cooki, 253
- tedfordi, 253

D

- Dalquest, Walter W., pomarine jaeger from the interior of Texas, 258
- Davis, John, singing behavior and the gonad cycle of the rufous-sided towhee, 308
- Dendragapus fuliginosus, 147, 152, 157
 - obscurus, 38, 145-150, 153, 156-158
 - obscurus obscurus, 148
 - obscurus pallidus, 148, 156
 - obscurus richardsonii, 150, 156
- Dendrocopos arizonae, 198
- nuttallii, 324, 338
- stricklandi, 198
- villosus, 399
- Dendrocygna autumnalis, 69
- bicolor, 69
- Dendroica auduboni, 388
- graciae, 407
- kirtlandii, 350
- petechia rubiginosa, 235
- tigrina, 142
- townsendi, 238
- Dichromanassa rufescens, 191
- Dickcissel, 195
- Dickerman, Robert W., the nest and eggs of the white-throated flycatcher, 259
- Diomedea albatrus, 136
- immutabilis, 3, 161, 162, 189, 404
- nigripes, 5, 159-161, 188, 189
- Dives dives, 372
- Dixon, Keith L., some additions to the avifauna of Guerrero, México, 407
- Dove, Barred, 182
- Mourning, 108, 109, 113, 116-122, 142, 193, 324, 325, 327, 405
- White-winged, 193
- Dowitcher, Short-billed, 238, 240
- Dryocopus lineatus, 209
- pileatus, 141
- Duck, Harlequin, 129, 132, 133, 237, 261
- Labrador, 129
- Ruddy, 223-225
- Wood, 256, 257
- Duvall, Allen J., and Aldrich, John W., distribution and migration of races of the mourning dove, 108

E

- Eagle, Bald, 407, 408
- Golden, 222, 392, 395

- Eckelberry, Don R., fiery-billed araçari, from a water color, opp. 201; drawing of a colored araçari (Pteroglossus torquatus), 202
- Ectopistes marginella, 115
- Egret, Common, 70, 71, 302
- Reddish, 191
- Snowy, 70, 71, 142, 224, 225
- Eider, 129-134
- Common, 408, 409
- King, 343
- Pacific, 132
- Spectacled, 132
- Steller's, 133
- Eisenmann, E., mourning dove breeding in Costa Rica, 405
- Elanoides forficatus, opp. 3
- Elanus caeruleus, 140
- caeruleus caeruleus, 140
- caeruleus hypoleucus, 140
- caeruleus intermedius, 140
- caeruleus leucurus, 140
- caeruleus majusculus, 140
- caeruleus notatus, 140
- caeruleus sumatranus, 140
- caeruleus vociferus, 140
- caeruleus wahgiensis, 140
- leucurus, 139
- notatus, 139, 140
- scriptus, 139, 140
- wahgiensis, 139
- Emberiza rustica, 58
- Empidonax albigularis timidus, 259, 260
- difficilis, 324, 325, 352
- Eremophila alpestris, 62
- alpestris arctica, 238
- Ereunetes mauri, 70, 238
- pusillus, 70, 238
- Erolia minutilla, 70, 234
- Escalante, Rodolfo, the subspecific identity of the oystercatcher in Uruguay, 191
- Eulabeia, 306
- Euphagus, 357
- carolinus, 372
- cyaniceps, 371, 372

F

- Falco, 61, 62
- mexicanus, 22
- peregrinus, 64, 140, 222
- sparverius, 22
- Falcon, Peregrine, 222
- Prairie, 22
- Farner, Donald S., a breeding population of Zonotrichia leucophrys gambelii in the Northern Cascade Mountains of Washington, 196
- Feinstein, Bernard, a record of the white-headed marsh tyrant from the State of Rio Grande do Sul, Brazil, 259
- Finch, Black Rosy, 22
- House, 22, 352

- Purple, 70
 Rosy, 22
 Fish, William R., and Lanyon, Wesley E., geographical variation in the vocalizations of the western meadowlark, 339
 Flamingo, American, 299
 Andean, 289, 299
 Chilean, 289, 299
 James', 289
 Flatbill, Olivaceous, 203
 Flicker, Red-shafted, 22, 324
 Yellow-shafted, 193, 261
 Flycatcher, Kiskadee, 338, 343
 Olive-sided, 238
 Scissor-tailed, 193, 194
 Western, 324, 325, 327, 329, 352
 White-throated, 259, 260
 Fratercula corniculata, 161, 163
 Fregata magnificens, 302
 minor, 189, 190
 Frigate-bird, Great, 189, 190
 Magnificent, 302
 Fringilla coelebs, 332
 Fritsch, Lee E., and Buss, Irven O., food of the American merganser in Unakwik Inlet, Alaska, 410
 Fulica americana, 224
- G**
- Gadwall, 224, 225, 337
 Galbula dea, 71
 galbula, 71
 leucogastra, 71
 ruficauda melanogenia, 71
 Garrulus, 169
 glandarius, 171, 173
 Gates, John M., female gadwall returns to nest site after loss of young, 337
 Gavia immer, 136
 stellata, 136, 237
 Gelochelidon nilotica, 67
 Geopelia striata, 182
 Geothlypis trichas, 63
 Giles, LeRoy W., occurrence of the yellow-shafted flicker in northern California, 193
 Giles, LeRoy W., and Crabb, Ben H., snowy plover nesting on Lower Klamath Refuge, Siskiyou County, California, 192
 Glaucidium gnoma, 338
 Godwit, Hudsonian, 198
 Golden-eye, 129, 132, 134
 Common, 222
 Goose, Blue, 191
 Canada, 224
 Hawaiian, 303-306
 Snow, 191
 White-fronted, 136
 Gordon, Sidney Paul, and Bohl, Wayne H., a range extension of Meleagris gallopavo mexicana into southwestern New Mexico, 338

- Goshawk, 377-383, 388-393, 395, 399-402
 Grackle, Boat-tailed, 70, 355, 367
 Grebe, Eared, 222
 Pied-billed, 223-225
 Western, 68, 136, 223-225
 Grosbeak, Evening, 70
 Grouse, Blue, 38, 145-153, 155-158
 Dusky, 148-151, 156, 157
 Sooty, 147, 149, 151, 157
 Gull, California, 222, 337, 338
 Franklin's, 197
 Glaucous-winged, 162, 238, 240
 Laughing, 67-68
 Sabine's, 143, 415
 Swallow-tailed, 302
 Gygis alba, 189, 190
 Gymnorhinus cyanocephala, 169
 Gymnostinops, 370
 montezuma, 372
 Gyr Falcon, 238

H

- Haematopus ostralegus durnfordi, 191, 192
 ostralegus palliatus, 191, 192
 Halcyon, 60
 Haliaeetus albicilla, 64
 leucocephalus, 396, 407
 Hamilton III, William J., pelagic birds observed on a North Pacific crossing, 159
 Harpagus bidentatus, 407
 Harvey, H. Thomas, kiskadee flycatcher in San Jose, California, 338
 Haverschmidt, F., nesting of a jacamar in a termite nest, 71
 Hawbecker, Albert C., abalones eaten by bald eagles, 407
 Hawk, Broad-winged, 246
 Cooper's, 141
 Marsh, 141, 224
 Mexican Black, 139
 Red-tailed, 141
 Sharp-shinned, 141
 Sparrow, 22
 White, 207
 Zone-tailed, 139
 Hayward, C. Lynn, additional notes on the purple martin in Utah, 406
 Heron, Black-crowned Night, 70, 71, 223-225
 Great Blue, 22, 223-225
 Little Blue, 343
 Hesperiphona vespertina, 70
 vespertina brooksi, 70
 Heteroscelus incanum, 190
 Himantopus mexicanus, 221
 Hirundo neoxena, 79
 rustica, 21, 29, 61, 79
 Histrionicus, 132
 histrionicus, 64, 237
 Holoquiscalus, 357, 370
 lugubris guadeloupensis, 372

- niger, 357
 niger niger, 372
 Houck, Warren J., harris sparrow from Humboldt County, California, 337
 Howard, Hildegarde, further records from the Pleistocene of Newport Bay Mesa, California, 136; an ancient cormorant from Nevada, 411
 Howell, Thomas R., Cape May warbler in Nicaragua, 142
 Hummingbird, Allen's, 352
 Hummingbird, Anna, 324
 Humphrey, Philip S., classification and systematic position of the eiders, 129; the trachea of the Hawaiian goose, 303; diving of a captive common eider, 408
 Humphrey, Philip S., and Phillips, Richard E., the odor of the crested auklet, 258
 Hyde, A. Sidney, sharp-tailed sparrow and grasshopper sparrow in Gunnison County, Colorado, 68
 Hydroprogne caspia, 67
 Hylocichla minima, 58

I

- Ibis, White-faced, 222, 224, 225
 Icterus bullockii, 198
 galbula, 198, 372
 spurius, 372
 Iridoprocne bicolor, 17, 29, 69, 237, 324
 Ixobrychus exilis, 68

J

- Jacamar, 71
 Jaeger, Long-tailed, 415
 Parasitic, 144, 238, 415
 Pomarine, 144, 258, 302, 415
 Janthoenas vitiensis anthracinus, 192
 Jay, Blue, 405, 406
 Brown, 212
 Scrub, 44, 166, 319, 324, 327
 Steller's, 38, 42, 43, 47-49, 180, 343, 385, 389, 391, 392, 399
 White-tipped Brown, 206
 Johnson, A. W., Behn, F., and Millie, W. R., the South American flamingos, 289
 Johnson, Ned K., notes on the red crossbill in Nevada, 136
 Johnston, David W., sex and age characters and salivary glands of the chimney swift, 73
 Junco hyemalis, 179
 oreganus, 381
 Junco, Oregon, 381, 399

K

- Kenyon, Karl W., and Rice, Dale W., homing of Laysan albatrosses, 3; birds of Kure Atoll, Hawaii, 188
 Kilham, Lawrence, repeated attacks by a sharp-shinned hawk on a pileated woodpecker, 141

- Killdeer, 192, 337
 Kingbird, Tropical, 69, 72
 Kingfisher, 51
 Kinglet, Golden-crowned, 69
 Kite, Black-winged, 140
 Double-toothed, 407
 Swallow-tailed, opp. 3
 White-tailed, 415
 Kitta chinensis, 169
 chinensis chinensis, 169
 Kittiwake, Black-legged, 235, 237

L

- Lampronetta, 131, 132, 134
 fischeri, 131-134
 Lanius ludovicianus, 173
 Lanyon, Wesley E., and Fish, William R., geographical variation in the vocalizations of the western meadowlark, 339
 Lark, Horned, 238
 Larus atricilla, 67
 californicus, 222, 337
 glaucescens, 162, 238
 Legg, Ken, Williamson, Francis S. L., and Williams, Laidlaw, breeding of the parula warbler at Point Lobos, California, 345
 Lepidocolaptes souleyetii, 210
 Leucophox thula, 70, 142, 224
 Leucopternis albigollis, 207
 Leucosticte atrata, 22
 tephrocotis, 22
 Levy, Seymour H., a new bird record for Arizona, 70
 Limnodromus griseus caurinus, 238
 Lobipes lobatus, 162, 234
 Locustella naevia naevia, 318
 Longspur, Lapland, 38, 39, 235, 239, 241
 Loomelania melania, 301
 Loon, Common, 136
 Red-throated, 136, 237
 Lophodytes, 130
 Lophortyx, 253
 californicus, 324, 325
 shotwelli, 253, 254
 Low, Jessop B., Weller, Milton W., and Wingfield, Billy H., effects of habitat deterioration on bird populations of a small Utah marsh, 220
 Loxia curvirostra, 136
 curvirostra bendirei, 137, 138
 curvirostra benti, 137, 138
 curvirostra grinnelli, 137, 138
 Lunda cirrhata, 161, 163, 235, 237
 Luscinia cyaneola, 58
 Lymnocyptes minimus, 254

M

- Magpie, Black-billed, 221, 222
 Yellow-billed, 343
 Magpie-Jay, 67
 Mallard, 142, 224, 388, 400

- Mancalla californiensis*, 136
 Martin, Gray-breasted, 210, 211, 217
 Purple, 14, 15, 25, 26, 29, 406
 Mayhew, Wilbur W., the biology of the cliff swallow in California, 7
 Mayr, Ernst, the sequence of the songbird families, 194
 Meadowlark, Eastern, 70, 340
 Western, 70, 339-341
Megasceryle alcyon, 51
Melanitta, 132
 fusca, 130
 nigra, 130, 132
 perspicillata, 130, 132, 237
Meleagris gallopavo merriami, 338, 339
Melospiza melodia, 239
Merganser, 129, 132, 134
 American, 410
 Common, 144
 Hooded, 144
Mergellus, 130
Mergus, 129, 132
 albellus, 131
 australis, 131
 cucullatus, 131
 merganser, 131
 merganser americanus, 410
 octosetaceus, 131
 serrator, 131
 squamatus, 131
 Mewaldt, L. Richard, pterylography and natural and experimentally induced molt in Clark's nutcracker, 165
 Meyerriecks, Andrew J., magpie-jay robs Mexican cacique nests, 67
Micrathene whitneyi, 198
 whitneyi idonea, 198
 whitneyi whitneyi, 198
Microcerculus marginatus, 243, 244
 marginatus philomela, 246-249
Micropalama himantopus, 69
 Miller, Robert C., morning and evening song of robins in different latitudes, 105
Milvago chimachima, 302
Miortyx teres, 253
 Mockingbird, 261
Molothrus, 357
 ater, 22, 357, 366, 408
 ater ater, 372
 Monson, Gale, reddish egret and bronzed cowbird in California, 191
 Morley, Jr., Arthur G., and Sams, James R., old-squaw found at La Jolla, California, 337
Motacilla, 64
 alba, 58
 flava, 58
 Murre, Common, 235, 237
 Thick-billed, 235, 237
 Murrelet, Ancient, 238
 Xantus, 143, 144
Muscivora forficata, 193
- N
- Nelson, Urban C., sora, snowy egret, blue-winged teal, and mourning dove in Juneau, Alaska, 142
Nephoecetes, 79
Nesochen sandvicensis, 303-307
Nettion, 252
 bunkeri, 252, 253
 carolinense, 252
 crecca, 253
 eppelsheimense, 253
 Nighthawk, Booming, 407
 Nightjar, 318
 Nolan, Jr., Val, blue jay sitting on robin nest in December, 405
Nucifraga, 55
 columbiana, 165, 169, 171-173, 184, 366
Numenius, 62
 americanus, 221
 phaeopus hudsonicus, 238
 Nutcracker, Clark's, 165-169, 171-185, 366
 Nuthatch, Red-breasted, 72
 Rock, 102
Nuttallornis borealis, 238
Nyctea scandiaca, 229
Nycticorax nycticorax, 70, 224
- O
- Oceanodroma furcata*, 161, 162
 tethys, 300
Oenanthe oenanthe, 58, 64
 Old-squaw, 129, 132, 133, 337
Olor columbianus, 222
 Orr, Robert T., red-tailed hawk feeds on crickets, 141
 Osprey, 143, 257
Otus asio, 22
 flammeolus, 69
 guatemalae, 407
 guatemalae hastatus, 407
 Ovenbird, 244, 350, 351
 Owl, Elf, 198
 Flammulated, 69
 Pygmy, 312, 338
 Screech, 22
 Short-eared, 238
 Snowy, 229, 240
 Stygian, 407
 Vermiculated Screech, 407
Oxyura jamaicensis, 224
 Oystercatcher, 191
- P
- Pachyramphus cinnamomeus*, 245
Pandion haliaetus, 64
 haliaetus carolinensis, 257, 258
 haliaetus haliaetus, 258
 Parkes, Kenneth C., specific relationships in the genus *Elanus*, 139
Parula americana, 345, 346
 pitiayumi, 407

- Parus atricapillus*, 61
 cinctus, 58
 inornatus, 22, 324
 rufescens, 22, 352
Passer domesticus, 11, 313, 317, 332, 366
Passerculus sandwichensis anthinus, 234, 235
 sandwichensis crassus, 235
Passerella iliaca, 337
 iliaca sinuosa, 235, 236
 melodia, 313, 317
Passerherbulus caudacutus, 68
Passerina amoena, 408
 cyanea, 408
Pelecanus erythrorhynchos, 222
 occidentalis, 301
Pelican, Brown, 301
 White, 222
Perisoreus canadensis, 169
Petrel, Ashy, 143, 144, 415
 Black, 143, 144, 301, 415
 Black Storm, 161
 Fork-tailed, 162
 Galapagos, 300
 Leach's, 143, 415
 Least, 415
 Scaled, 162
Petrochelidon pyrrhonota, 7, 29, 79, 238
Pewee, Western Wood, 324, 325, 327, 329, 352
Phaethon rubricauda, 189
Phalacrocorax, 411
 auritus, 412, 413
 auritus albociliatus, 412, 413
 auritus auritus, 412
 auritus cinctus, 412, 413
 olivaceus, 302
 pelagicus, 237
 penicillatus, 136, 412
Phalarope, Northern, 162, 234
 Red, 162, 238
 Wilson's, 221
Phalaropus fulicarius, 161, 162, 238
Phasianus colchicus, 224
Pheasant, Ring-necked, 224
Philacte, 306
Phillips, Richard E., and *Humphrey*, Philip S., the
 odor of the crested auklet, 258
Phloeocastus guatemalensis, 209
Phoebe, 21
 Black, 22
 Eastern, 144
 Say, 22
Phoenicopterus chilensis, 289, 293, 294, 296-299
 ruber, 299
Phoenicoparrus andinus, 289, 292-294, 296-299
 jamesi, 289, 291-294, 342
Phyllastrephus flavostriatus tenuirostris, 176
Phylloscopus borealis, 58
Pica pica, 61, 221
 pica hudsonia, 169
Pigeon, 400
 Band-tailed, 69, 343
 Metallic Wood, 192
Pintail, 234
 Common, 224
Pipilo erythrophthalmus, 85, 87, 89, 95, 96, 98-103, 308, 309, 325, 327, 328
 erythrophthalmus megalonyx, 308
 erythrophthalmus maculatus, 91
 erythrophthalmus oaxaca, 98
 erythrophthalmus orientalis, 91
 fuscus, 324, 325
 ocai, 85, 87, 89, 95, 98-103
 ocai brunescens, 98
Pitangus sulphuratus, 338
Pitelka, Frank A., timing of molt in Steller jays
 of the Queen Charlotte Islands, British Columbia, 38
Plectrophenax nivilis, 38, 331
Plegadis chihi, 222, 224
Plover, American Golden, 190
 Black-bellied, 192
 Golden, 69, 144
 Mountain, 261
 Semipalmated, 234
 Snowy, 192, 221
Pluvialis dominica, 190
 dominica dominica, 69
Podiceps caspicus, 222
Podilymbus podiceps, 224
Polysticta, 129, 131, 132, 134
 stelleri, 130-134
Poorwill, 144
Porzana carolina, 142
Progne chalybea, 210
 subis, 14, 29
 subis subis, 406
Psaltiriparus melanotis, 206
 minimus, 352
Psilorhinus, 169
 mexicanus, 206
 morio, 169
Pterodroma inexpectata, 161, 162
Pteroglossus frantzii, 201, 207
 torquatus, 201, 202
 torquatus erythronotus, 207
Puffin, Horned, 163
 Tufted, 163, 235-237
Puffinus griseus, 136, 162, 300
 herminieri, 300
 pacificus, 189
 puffinus, 3
 tenuirostris, 162
Pycnonotus xanthopygus micrus, 176

Q

- Quail*, California, 324, 326
 Mountain, 400
Querquedula, 252

- Quiscalus, 357, 370
 quiscula quiscula, 372
- R**
- Rabor, D. S., and Rand, A. L., jungle and domestic fowl, *Gallus gallus*, in the Philippines, 138
 Rabor, D. S., and Ripley, S. Dillon, *Columba vitiensis anthracina* (Hachisuka), a reconsideration, 192
 Ralph, Clement L., and Ralph, C. John, notes on the nesting of egrets near San Rafael, California, 70
 Ramphastos sulphuratus, 202
 swainsonii, 206
 Rand, A. L., and Rabor, D. S., jungle and domestic fowl, *Gallus gallus*, in the Philippines, 138
 Rausch, Robert, the occurrence and distribution of birds on Middleton Island, Alaska, 227
 Raven, 51
 Common, 222
 Recurvirostra americana, 221
 Redhead, 222, 224
 Redpoll, Common, 235
 Redstart, American, 72, 408
 Regulus satrapa satrapa, 69
 Rhynchocyclus olivaceus, 203
 Rice, Dale W., and Kenyon, Karl W., homing of Laysan albatrosses, 3; birds of Kure Atoll, Hawaii, 188
 Richardson, Charles H., and Richardson, Alice I., American redstart in Santa Barbara County, California, 408
 Riparia riparia, 14, 29, 64, 69, 237
 Ripley, S. Dillon, and Rabor, D. S., *Columba vitiensis anthracina* (Hachisuka), a reconsideration, 192
 Rissa tridactyla pollicaris, 235, 237
 Robin, 21, 31, 105-107, 238, 387, 392, 405
 American, 399
 Robins, C. Richard, observations on oceanic birds in the Gulf of Panamá, 300
 Robinson, Richard H., use of nest boxes by wood ducks in the San Joaquin Valley, California, 256
 Rook, 173, 366
 Rynchops nigra, 67
- S**
- Sams, James R., blue goose observed at the Salton Sea, Imperial County, California, 191
 Sams, James R., and Morley, Jr., Arthur G., oldsquaw found at La Jolla, California, 337
 Sanderling, 197
 Sandpiper, Least, 70, 192, 234
 Semipalmated, 70, 234, 238, 240
 Solitary, 415
 Spotted, 244
 Stilt, 69
 Western, 70, 192, 238, 240
 Sapsucker, Williamson, 400
 Sayornis nigricans, 22
 phoebe, 21
 saya, 22
 Scaphidura orizivora, 372
 Scaup, 144
 Greater, 237
 Schnell, Jay H., nesting behavior and food habits of goshawks in the Sierra Nevada of California, 377
 Scoter, 129, 132, 134
 Black, 143
 Surf, 237, 409
 Seiurus aurocapillus, 244, 350
 motacilla, 244
 noveboracensis, 244
 Selander, Robert K., age determination and molt in the boat-tailed grackle, 355
 Selasphorus sasin, 352
 Serinus canarius, 173
 Setophaga ruticilla, 408
 Shearwater, Audubon's, 300
 Manx, 3, 415
 New Zealand, 144
 Pale-footed, 415
 Pink-footed, 415
 Slender-billed, 144, 162
 Sooty, 136, 143, 162, 300, 415
 Wedge-tailed, 189
 Shoveler, 222
 Sialia mexicana, 324
 sialis, 22
 Sibley, Charles G., and West, David A., hybridization in the red-eyed towhees of México: the eastern plateau populations, 85
 Sick, Helmut, on the distribution of Day's barbet, 339
 Simpson, James M., and Werner, James R., some recent bird records from the Salt River Valley, central Arizona, 68
 Sitta neumayer, 102
 tephronota, 102
 Skimmer, Black, 67
 Skua, 143, 144, 162
 Skutch, Alexander F., roosting and nesting of araçari toucans, 201
 Slud, Paul, observations on the nightingale wren in Costa Rica, 243
 Snipe, Common, 222, 234
 Somateria, 129, 131, 132, 134
 fischeri, 130
 mollissima, 408
 mollissima v. nigra, 130, 131, 133
 spectabilis, 130, 131, 133
 Sora, 142
 Sparrow, Black-chinned, 408
 English, 11, 21, 22
 Fox, 235, 236, 337
 Golden-crowned, 261, 312, 334
 Grasshopper, 68
 Harris', 261, 337

- House, 313, 331, 366
 Leconte, 68
 Savannah, 234, 235
 Sharp-tailed, 68
 Song, 239, 313, 317, 323, 326, 327, 329, 330-332
 Tree, 235
 White-crowned, 195, 322, 337
 White-throated, 197, 261, 343
Spatula clypeata, 222
Spiza americana, 195
Spizella arborea ochracea, 235
 atrogularis, 408
 Stager, Kenneth E., an osprey in mideastern Pacific Ocean, 257; a record of the Laysan albatross from southern California, 404
 Starling, 30, 69, 144, 261
Steganopus tricolor, 221
Stelgidopteryx ruficollis, 18, 69
Stercorarius parasiticus, 238
 pomarinus, 258, 302
Sterna anaethetus, 302
 fuscata, 189, 190
 hirundo, 69
 lunata, 189, 190
 Stilt, Black-necked, 192, 221
Streptoprocne, 79
Strix nebulosa, 55
Sturnella, 62
 magna, 340
 magna lilianae, 70
 neglecta, 70, 339-341
Sturnus vulgaris, 30, 69
Sula dactylatra, 189, 301
 leucogaster, 189, 301
 nebovii, 301
 sula, 189, 190
 Surf-bird, 144
 Swallow, Australian Welcome, 79
 Bank, 14, 15, 17, 18, 21, 26, 29, 30, 69, 237
 Barn, 21, 29, 79
 Cliff, 7, 9, 11-17, 20-27, 29-31, 33, 34, 79, 238
 Rough-winged, 18, 69
 Tree, 17, 26, 29, 30, 69, 237, 324
 Violet-green, 14, 26, 222, 324
 Swan, Australian Black, 303
 Whistling, 222
 Swift, Alpine, 78
 Black, 79
 Chimney, 73-80, 83, 84
 White-throated, 22
 Swiftlet, 73, 78
Synthliboramphus antiquum, 238
- T
- Tachycineta thalassina, 14, 222, 324
 Tanager, Western, 261
 Tangavius, 357
 aeneus, 191, 366
 aeneus aeneus, 366, 372
 Tattler, Wandering, 190
 Teal, Blue-winged, 142
 Cinnamon, 224
 Green-winged, 224, 234
Telmatodytes, 63
 palustris, 221
 palustris aestuarinus, 69
 Tern, Arctic, 144, 415
 Bridled, 302
 Caspian, 67
 Common, 69, 144
 Elegant, 143, 144, 302
 Fairy, 189, 190
 Gray-backed, 189, 190
 Green-winged, 142
 Gull-billed, 67
 Noddy, 189, 190
 Royal, 302
 Sooty, 189, 190
 White-capped Noddy, 189, 190
Thalasseus elegans, 302
 maximus, 302
 Thrush, Gray-cheeked, 58
Thryomanes bewickii, 22, 323
 Titmouse, Plain, 22, 324
Tityra, Black-crowned, 210
 Masked, 210-212, 217
Tityra inquisitor, 210
 semifasciata, 210
Totanus flavipes, 238
 Toucan, Chestnut-mandibled, 206, 208
 Keel-billed, 202, 207, 215
 Toucanet, Blue-throated, 207, 214, 215
 Towhee, Brown, 324, 325, 327
 Collared, 85, 87, 103
 Red-eyed, 85-87, 91, 97
 Rufous-sided, 85, 87, 103, 308, 314, 316-318, 324-327, 329-334
 Spotted, 85
Toxostoma, 62
 Traylor, Elmo, and Bohl, Wayne H., a correction in identification of the zone-tailed hawk as a Mexican black hawk, 139
 Tree-duck, Black-bellied, 69
 Fulvous, 69
Tripsurus chrysaeuchen, 209
Troglodytes aedon, 249
 brunneicollis, 249
 monticola, 249
 musculus, 210, 249
 ochraceus, 249, 250
 rufociliatus, 249, 250
 solstitialis, 248, 249
 troglodytes, 61, 234, 236, 318
 Trogon, Bar-tailed, 407
 Massena, 206
 Trogon collaris, 407
 massena, 206
 Tropic-bird, Red-billed, 144
 Red-tailed, 189

- Turdus merula*, 317
migratorius, 21, 106, 238, 391, 405
 Turkey, Merriam's, 338, 339
 Turnstone, Black, 238, 240, 337
 Ruddy, 190
 Tympanuchus, 62
Tyrannus melancholicus occidentalis, 69
 Tyrant, White-headed Marsh, 259
- U**
- Udvardy, Miklos D. F., ecological and distributional analysis of North American birds, 50
Uria aalge, 235, 237
 lomvia arra, 235, 237
- V**
- Vireo flavifrons*, 194
 huttoni, 324, 352
 olivaceus, 238
Vireo, Hutton's, 352
 Red-eyed, 238
- W**
- Warbler, Audubon, 388, 400
 Buff-rumped, 244
 Cape May, 142
 Grace, 407
 Grasshopper, 318
 Kirtland's, 350
 Parula, 345-348, 350-353
 Townsend's, 238
 Tropical Parula, 407
 Wilson's, 239, 352
 Yellow, 235
 Water-thrush, 244
 Weller, Milton W., Wingfield, Billy H., and Low, Jessop B., effects of habitat deterioration on bird populations of a small Utah marsh, 220
 Werner, James R., and Simpson, James M., some recent bird records from the Salt River Valley, central Arizona, 68
 West, David A., and Sibley, Charles G., hybridization in the red-eyed towhees of México: the eastern plateau populations, 85
 Whimbrel, 238, 240
 Williams, Laidlaw, Legg, Ken, and Williamson, Francis S. L., breeding of the parula warbler at Point Lobos, California, 345
 Williamson, Francis S. L., Williams, Laidlaw, and Legg, Ken, breeding of the parula warbler at Point Lobos, California, 345
 Willet, 136
Wilsonia pusilla, 352
 pusilla pileolata, 239
 Wingfield, Billy H., Weller, Milton W., and Low, Jessop B., effects of habitat deterioration on bird populations of a small Utah marsh, 220
 Woody, Jack B., the dickcissel in California, 195
 Woodhewer, Streaked-headed, 210
 Woodpecker, Acorn, 327
 Gila, 70
 Golden-naped, 209, 211, 215, 217
 Hairy, 399
 Lewis, 414
 Lineated, 209, 210, 212, 215, 217, 218
 Nuttall, 324, 338
 Pale-billed, 209, 210, 213, 214, 218
 Pileated, 141
 Red-crowned, 209, 214, 217
 Wren, Bewick, 22, 323, 324, 343
 Canyon, 22
 Long-billed Marsh, 69, 221
 Marsh, 63
 Nightingale, 243-250
 Southern House, 210
 Winter, 234, 236, 318, 326
 Wrentit, 324, 326
- X**
- Xanthocephalus xanthocephalus*, 221
- Y**
- Yellowlegs, Lesser, 238
 Yellow-throat, 63
 Yocom, Charles F., a white-winged dove record for northern California, 193
- Z**
- Zarhynchus, 370
 wagleri wagleri, 372
Zenaida asiatica, 193
Zenaidura macroura, 108, 110-113, 142, 324, 325, 405
 macroura bella, 117
 macroura carolinensis, 110-121, 124, 405,
 macroura caurina, 115, 116, 120
 macroura clarionensis, 110-113, 115, 116, 126
 macroura macroura, 110-114, 116-122, 126
 macroura marginella, 110-122, 405
 macroura peninsulari, 118
 macroura tresmariae, 116, 120
 macroura turturilla, 110-113, 118, 119, 126,
 405
Zonotrichia, 55
 albicollis, 179
 atricapilla, 312, 334
 leucophrys, 311, 337
 leucophrys gambelii, 196, 261, 311, 331
 leucophrys nuttalli, 261, 311, 333
 leucophrys oriantha, 196
 leucophrys pugetensis, 261, 332, 334
 querula, 337
 Zusi, Richard L., laughing gull takes fish from black skimmer, 67

